

## DATASHEET

### PART NUMBER

### WES296-S2L

**Wescon 296 Microstop - 1/4-28 - 5/8" Cutter  
Capacity - 2-Leg Skirt**

CLOSE QUARTERS USE

### WEBSITE

<https://www.wesconusa.com/products/WES296-S2L>




\* The image represents the general look of the series. Actual product may vary based on options selected.

### SPECIFICATIONS

<b>Measurement Type</b>	Imperial
<b>Bearing Rating</b>	10,000 rpm
<b>Bearing Type</b>	Dual Ball Bearings
<b>Heavy Duty Thrust Bearing</b>	No
<b>Incremental Adjustment</b>	0.001 in
<b>Shaft Travel</b>	1/8 in
<b>Cutter Thread</b>	1/4-28
<b>Shaft</b>	Round
<b>Shaft Diameter</b>	1/4 in
<b>Cutter Capacity</b>	5/8 in
<b>Skirt</b>	2-Leg
<b>Solid Stop</b>	Yes
<b>Material</b>	Steel
<b>Country of Origin</b>	USA

## ADDITIONAL IMAGES AND DRAWINGS



**WES296 SERIES MICROSTOP**

**Part Number**  
WES296-X-XX-XX-AR

- Anti Rotation Pin  
(If Included)
- Shaft Option
- Foot Style
- Skirt Option\*
- Cutter Thread


Code	Shaft Option
-S	Round
-QC	Quick Change
-TS	1/4-28in Threaded Shank

Code	Foot Style
N	Nylon

Code	Cutter Thread
(Blank)	1/4-28
6	M6x1

Incremental Adjustment: 0.001 in  
 Shaft Travel: 1/8 in  
 Material: Hardened Steel With Black Oxide Finish

Bearing Rating: 10,000 rpm  
 Bearing Type: Dual Ball-Bearings  
 Dust Seal: Integrated Dust Seal  
 Heavy Duty Thrust Bearing: Yes  
 Solid Stop: Yes



2.00in Ref.

Ø .81in

(Anti Rotation Pin)

(Skirt Option)


Threaded Shank Shaft      Round Shaft      Quick Change Shaft      Threaded Shank Shaft with Anti Rotation Pin

\*For Skirt options see next page and website.

<small>Do not modify, copy, distribute, or reproduce this drawing without prior written authorization.</small>	<small>© 2025 Wescon Industries Inc. 601 Century Plaza Dr, Houston, TX 77073, US www.wesconusa.com</small>	<small>Part Number <b>WES296</b></small>
<small>All dimensions are in Inches</small>		<small>Information in this drawing is provided for reference only</small>

Image 1

**Foot Style  
For Internal Thread**








Part Number	Material
29620-N	Nylon
29620-S	Steel
29620-P	Phenolic

 <b>WESCON</b>	Part Number <b>WES296</b>
Do not modify, copy, distribute, or reproduce this drawing without prior written authorization.  All dimensions are in Inches	© 2025 Wescon Industries Inc. 601 Century Plaza Dr, Houston, TX 77073, US <a href="http://www.wesconusa.com">www.wesconusa.com</a>  Information in this drawing is provided for reference only
	Wescon 296 Microstop

Image 2

### Skirt Option



	 <b>WESCON</b>	Part Number <b>WES296</b>
<small>Do not modify, copy, distribute, or reproduce this drawing without prior written authorization.</small> <small>All dimensions are in Inches</small>	<small>© 2025 Wescon Industries Inc. 601 Century Plaza Dr, Houston, TX 77073, US www.wesconusa.com</small> <small>Information in this drawing is provided for reference only</small>	Wescon 296 Microstop

Image 3