

## DATASHEET

### PART NUMBER

### WES297-6-IN

**Wescon 297 Stainless Steel Microstop - M6x1 -  
 1/2" Cutter Capacity - Internal Thread Skirt -  
 Nylon Foot**

CLOSE QUARTERS USE STAINLESS STEEL

### WEBSITE

<https://www.wesconusa.com/products/WES297-6-IN>



\* The image represents the general look of the series. Actual product may vary based on options selected.


### SPECIFICATIONS

<b>Measurement Type</b>	Metric
<b>Bearing Rating</b>	10,000 rpm
<b>Bearing Type</b>	Dual Ball Bearings
<b>Heavy Duty Thrust Bearing</b>	No
<b>Incremental Adjustment</b>	0.001 in
<b>Shaft Travel</b>	1/8 in
<b>Cutter Thread</b>	M6x1
<b>Shaft</b>	Round
<b>Shaft Diameter</b>	1/4 in
<b>Cutter Capacity</b>	1/2 in
<b>Skirt</b>	Internal Thread
<b>Skirt Description</b>	1/2 in Cutter Capacity
<b>Foot</b>	Nylon
<b>Solid Stop</b>	Yes
<b>Material</b>	Stainless Steel
<b>Country of Origin</b>	USA

## ADDITIONAL IMAGES AND DRAWINGS

**WES297 SERIES MICROSTOP**

**Part Number**  
WES297-X-XX-XX-AR



Anti Rotation Pin  
(If Included)  
Shaft Option  
Foot Style  
Skirt Option\*  
Cutter Thread


Code	Shaft Option
-S	Round
-QC	Quick Change
-TS	1/4-28in Threaded Shank

Code	Foot Style
N	Nylon

Code	Cutter Thread
(Blank)	1/4-28
6	M6x1

Incremental Adjustment: 0.001 in  
 Shaft Travel: 1/8 in  
 Cutter Thread: 1/4-28  
 Material: Stainless Steel

Bearing Rating: 10,000 rpm  
 Bearing Type: Dual Ball-Bearings  
 Dust Seal: Integrated Dust Seal  
 Heavy Duty Thrust Bearing: Yes  
 Solid Stop: Yes



2in Ref.  
Ø .81in

Threaded Shank Shaft      Round Shaft      Quick Change Shaft      Threaded Shank Shaft with Anti Rotation Pin






(Anti Rotation Pin)  
(Skirt Option)

\*For Skirt options see next page and website.

 <b>WESCON</b>	Part Number <b>WES297</b>
Do not modify, copy, distribute, or reproduce this drawing without prior written authorization.	
© 2025 Wescon Industries Inc. 601 Century Plaza Dr, Houston, TX 77073, US <a href="http://www.wesconusa.com">www.wesconusa.com</a>	
All dimensions are in Inches	
Information in this drawing is provided for reference only	

Image 1

### Skirt Option




Choose Foot Style From Table

 <b>WESCON</b>	Part Number <b>WES297</b>
<p>Do not modify, copy, distribute, or reproduce this drawing without prior written authorization.</p> <p>All dimensions are in Inches</p>	<p>© 2025 Wescon Industries Inc. 601 Century Plaza Dr, Houston, TX 77073, US <a href="http://www.wesconusa.com">www.wesconusa.com</a></p> <p>Information in this drawing is provided for reference only</p>

Image 2

**Foot Style  
For Internal Thread**



Part Number	Material
59620-N	Nylon
59620-S	Steel
59620-P	Phenolic

 <b>WESCON</b>	Part Number <b>WES297</b>
Do not modify, copy, distribute, or reproduce this drawing without prior written authorization.	© 2025 Wescon Industries Inc. 601 Century Plaza Dr, Houston, TX 77073, US <a href="http://www.wesconusa.com">www.wesconusa.com</a>
All dimensions are in Inches	Information in this drawing is provided for reference only

Image 3