

## DATASHEET

### PART NUMBER

## WES297-S3L-TS

**Wescon 297 Stainless Steel Microstop - 1/4-28  
- 5/8" Cutter Capacity - 3-Leg Skirt**

CLOSE QUARTERS USE STAINLESS STEEL

### WEBSITE

<https://www.wesconusa.com/products/WES297-S3L-TS>



\* The image represents the general look of the series. Actual product may vary based on options selected.

## SPECIFICATIONS

Measurement Type	Imperial
Bearing Rating	10,000 rpm
Bearing Type	Dual Ball Bearings
Heavy Duty Thrust Bearing	No
Incremental Adjustment	0.001 in
Shaft Travel	1/8 in
Cutter Thread	1/4-28
Shaft	Threaded
Shaft Diameter	1/4 in
Cutter Capacity	5/8 in
Skirt	3-Leg
Solid Stop	Yes
Material	Stainless Steel
Country of Origin	USA

ADDITIONAL IMAGES AND DRAWINGS






Image 1


Skirt Option




**S**  
Straight  
Cutter  $\phi 5/8$ "




**S2L**  
2-Leg  
Cutter  $\phi 5/8$ "



**S3L**  
3-Leg  
Cutter  $\phi 5/8$ "



**SCA**  
Straight Cutaway  
Cutter  $\phi 5/8$ "




**I**  
Internal Thread  
Cutter  $\phi 1/2$ "  
Choose Foot Style From Table

		Part Number	<b>WES297</b>
© 2025 Wescon Industries Inc. 601 Century Plaza Dr. Houston, TX 77073, US www.wesconusa.com		Wescon 297 Microstop	
Information in this drawing is provided for reference only			

Image 2

### Foot Style For Internal Thread



Part Number	Material
59620-N	Nylon
59620-S	Steel
59620-P	Phenolic



Part Number

**WES297**

Do not modify, copy, distribute, or reproduce this drawing without prior written authorization.

© 2025 Wescon Industries Inc.  
601 Century Plaza Dr. Houston, TX 77073, US  
www.wesconusa.com

Wescon 297 Microstop

All dimensions are in inches

Information in this drawing is provided for reference only

Image 3