

DATASHEET

PART NUMBER

WES397-ES-6-VS-QC

**Wescon 397 Stainless Steel Microstop - M6x1 -
12.7 mm Cutter Capacity - Vacuum Straight
Skirt**

SMALL CAPACITY / TIGHT SPACE APPLICATIONS
STAINLESS STEEL

WEBSITE

<https://www.wesconusa.com/products/WES397-ES-6-VS-QC>



* The image represents the general look of the series. Actual product may vary based on options selected.

SPECIFICATIONS

| | |
|---------------------------|---|
| Measurement Type | Metric |
| Bearing Rating | 10,000 rpm |
| Bearing Type | Dual Ball Bearings |
| Heavy Duty Thrust Bearing | No |
| Incremental Adjustment | 0.0005 in |
| Shaft Travel | 1/8 in |
| Cutter Thread | M6x1 |
| Shaft | Quick Change |
| Shaft Diameter | 1/4 in |
| Cutter Capacity | 12.7 mm |
| Skirt | Vacuum Straight |
| Skirt Description | 17.48 mm OD 13.46 mm ID 12.7 mm Cutter Capacity |
| Solid Stop | Yes |
| Material | Stainless Steel |
| Stroke Length | 6mm |
| Country of Origin | USA |

ADDITIONAL IMAGES AND DRAWINGS




Image 1






Image 2

**Foot Style
For External Thread**



| Part Number | Material |
|-------------|----------|
| 39631-N | Nylon |
| 39631-S | Steel |
| 39631-P | Phenolic |

**Foot Style
For Internal Thread**



| Part Number | Material |
|-------------|----------|
| 39620-N | Nylon |
| 39620-S | Steel |
| 39620-P | Phenolic |

| | | | |
|---|---|--|---------------|
|  | | Part Number | WES397 |
| | | Wescon 397 Microstop | |
| Revision 01 | Do not modify, copy, distribute, or reproduce this drawing without prior written authorization. | © 2025 Wescon Industries Inc. 601 Century Plaza Dr. Houston, TX 77073, US www.wesconusa.com All dimensions are in inches. Information in this drawing is provided for reference only. | |

Image 3