

## DATASHEET

PART NUMBER

# WES596-ER8

**Wescon 596-ER Extended Reach - 10-32 - 1/4"**  
**Cutter Capacity - 2.75 in Length 1/4 in Cutter**  
**Capacity Skirt**

EXTENDED REACH UNITS

WEBSITE

<https://www.wesconusa.com/products/WES596-ER8>




## SPECIFICATIONS

Measurement Type	Imperial
Bearing Rating	10,000 rpm
Bearing Type	Dual Ball Bearings
Heavy Duty Thrust Bearing	Yes
Incremental Adjustment	0.0005 in
Shaft Travel	0.300 in
Dust Seal	Integrated Dust Seal
Cutter Thread	10-32
Shaft	Round
Shaft Diameter	1/4 in
Cutter Capacity	1/4 in
Skirt	2.75 in Length 1/4 in Cutter Capacity
Skirt Length	2.75 in
Skirt Description	0.375 in OD 1/4 in Cutter Capacity
Solid Stop	Yes
Material	Steel
Country of Origin	USA

**ADDITIONAL IMAGES AND DRAWINGS**

**WES596 Extended Reach Series Microstop**



**Part Number**  
WES596-X-XX-XX


Shaft Option  
Skirt Option\*  
Cutter Thread

Code	Cutter Thread
(Blank)	1/4-28in
6	M6x1

Code	Shaft Option
(Blank)	1/4in standard Round
-QC	Quick Change
-TF	Tri Flat

Incremental Adjustment: 0.0005 in  
Shaft Travel: 0.300 in  
Material: Hardened Steel With Black Oxide Finish

Bearing Rating: 10,000 rpm  
Bearing Type: Dual Ball-Bearings  
Dust Seal: Integrated Dust Seal  
Heavy Duty Thrust Bearing: Yes  
Solid Stop: Yes



\*For Skirt options see next page and website.



Part Number  
**WES596-ER**

Do not modify, copy, distribute, or reproduce this drawing without prior written authorization.


© 2025 Wescon Industries Inc.  
601 Century Plaza Dr. Houston, TX 77073, US  
www.wesconusa.com

Wescon 596 Extended Reach Microstop

Revision 01 All dimensions are in inches Information in this drawing is provided for reference only

Image 1

### Skirt Option



		Part Number	<b>WES596-ER</b>
Do not modify, copy, distribute, or reproduce this drawing without prior written authorization.		© 2025 Wescon Industries Inc. 601 Century Plaza Dr. Houston, TX 77073, US www.wesconusa.com	
Revision 01	All dimensions are in inches	Information in this drawing is provided for reference only	
		<b>Wescon 596 Extended Reach Microstop</b>	

Image 2