

## DATASHEET

### PART NUMBER

## WES596-ES-1500-TL

**Wescon Taper Lok Microstop - 1/4-28 - 3/4"**

**Cutter Capacity - Straight Skirt**

TAPER LOK MICROSTOP UNIT

### WEBSITE

<https://www.wesconusa.com/products/WES596-ES-1500-TL>




## SPECIFICATIONS

<b>Bearing Rating</b>	10,000 rpm
<b>Bearing Type</b>	Dual Ball Bearings
<b>Heavy Duty Thrust Bearing</b>	Yes
<b>Incremental Adjustment</b>	0.0005 in
<b>Shaft Travel</b>	1-1/2 in
<b>Dust Seal</b>	Integrated Dust Seal
<b>Cutter Thread</b>	1/4-28
<b>Shaft</b>	Tri-Flat
<b>Cutter Capacity</b>	3/4 in
<b>Skirt</b>	Straight
<b>Solid Stop</b>	Yes
<b>Material</b>	Steel
<b>Country of Origin</b>	USA

## ADDITIONAL IMAGES AND DRAWINGS




Image 1



Incremental Adjustment: 0.0005"  
 Shaft Travel: 1-1/2"  
 Cutter Thread: 1/4-28  
 Material: Carbon Steel Body with Hardened  
 Tool Steel Shaft

Bearing Rating: 10,000 rpm  
 Cutter Capacity: 3/4"  
 Bearing Type: Dual Ball Bearings  
 Dust Seal: Integrated Dust Seal  
 Heavy Duty Thrust Bearing  
 Solid Stop  
 Skirt: Straight



 <b>WESCON</b> <small>Do not modify, copy, distribute, or reproduce this drawing without prior written authorization.</small>	<small>Part Number</small> <b>WES596-ES-1500-TL</b>
<small>Revision 01</small> <small>All dimensions are in Inches</small>	<small>Information in this drawing is provided for reference only</small> <b>Wescon 596 Taper Lok Long Microstop</b>

Image 2