

DATASHEET

PART NUMBER

WES596-ES-500

**Wescon 596-ES Extended Stroke Microstop -
1/4-28 - 5/8" Cutter Capacity - Straight**

EXTENDED STROKE UNITS FOR DRILL /
COUNTERSINK AND SPECIAL LENGTH CUTTERS

WEBSITE

<https://www.wesconusa.com/products/WES596-ES-500>



* The image represents the general look of the series. Actual product may vary based on options selected.

SPECIFICATIONS

| | |
|---------------------------|----------------------|
| Measurement Type | Imperial |
| Bearing Rating | 10,000 rpm |
| Bearing Type | Dual Ball-Bearings |
| Heavy Duty Thrust Bearing | Yes |
| Incremental Adjustment | 0.0005 in |
| Shaft Travel | .500 in |
| Dust Seal | Integrated Dust Seal |
| Cutter Thread | 1/4-28 |
| Shaft | Round |
| Shaft Diameter | 1/4 in |
| Cutter Capacity | 5/8 in |
| Skirt | Straight |
| Solid Stop | Yes |
| Material | Steel |
| Country of Origin | USA |

ADDITIONAL IMAGES AND DRAWINGS



Image 0

WES596 Extended Stroke Series Microstop



Part Number
WES596-ES-XX-XX-XX

- └ Shaft Option
- └ Foot Style
- └ Skirt Option*
- └ Stroke Length


Incremental Adjustment: 0.0005 in
Cutter Thread: 1/4-28
Material: Carbon Steel Body with
Hardened Tool Steel Shaft

Bearing Rating: 10,000 rpm
Bearing Type: Dual Ball-Bearings
Dust Seal: Integrated Dust Seal
Heavy Duty Thrust Bearing: Yes
Solid Stop: Yes


| Code | Stroke Length |
|------|----------------------|
| 500 | .500in Shaft Travel |
| 750 | .750in Shaft Travel |
| 1000 | 1.000in Shaft Travel |

| Code | Foot Style |
|------|------------|
| N | Nylon |
| S | Steel |
| P | Phenolic |


| Code | Shaft Option |
|---------|--------------|
| (Blank) | Round |
| TF | Tri Flat |



ES-500
.500in Shaft Travel
Cutter ϕ 5/8"



ES-750
.750in Shaft Travel
Cutter ϕ 5/8"



ES-1000
1.000in Shaft Travel
Cutter ϕ 5/8"

*For Skirt options see next page and website



Part Number

WES596-ES

Do not modify, copy, distribute, or reproduce this drawing without prior written authorization.

© 2025 Wescon Industries Inc.
601 Century Plaza Dr. Houston, TX 77073, US
www.wesconusa.com


Wescon 596 Extended Stroke Microstop

Revision 04

All dimensions are in Inches Information in this drawing is provided for reference only


Image 1

Skirt Option




E
External Thread
Cutter $\phi 3/4"$ ($\phi 19\text{mm}$)
Choose Foot Style From Table

**Foot Style
For External Thread**



| Part Number | Material |
|-------------|----------|
| 59631-N | Nylon |
| 59631-S | Steel |
| 59631-P | Phenolic |



S
Straight
Cutter $\phi 3/4"$ ($\phi 19\text{mm}$)



Part Number
WES596-ES

Do not modify, copy, distribute, or reproduce this drawing without prior written authorization.

© 2025 Wescon Industries Inc.
601 Century Plaza Dr. Houston, TX 77073, US
www.wesconusa.com

Wescon 596 Extended Stroke
Microstop

Revision 04 All dimensions are in Inches Information in this drawing is provided for reference only

Image 2