



# **DATASHEET**

PART NUMBER

# **WES599-6-SBIN**

Wescon 599 Microstop - M6x1 - 19 mm Cutter Capacity - Slotted Bell Internal Thread Skirt -Nylon Foot

10 DEGREE PIVOTING SHAFT (SWIVEL SHAFT) / HIGH SPEED HEAVY DUTY STAINLESS STEEL

#### **WEBSITE**

https://www.wesconusa.com/products/WES599-6-SBIN



\* The image represents the general look of the series. Actual product may vary based on options selected.

## **SPECIFICATIONS**

| Measurement Type                 | Metric                          |
|----------------------------------|---------------------------------|
| Bearing Rating                   | 10,000 rpm                      |
| Bearing Type                     | Dual Ball Bearings              |
| <b>Heavy Duty Thrust Bearing</b> | Yes                             |
| Incremental Adjustment           | 0.013 mm                        |
| Shaft Travel                     | 7.60 mm                         |
| Dust Seal                        | Integrated Dust Seal            |
| Cutter Thread                    | M6x1                            |
| Shaft                            | Round - Pivoting / Swivel Shaft |
| Shaft Diameter                   | 6.35 mm                         |
| <b>Cutter Capacity</b>           | 19 mm                           |
| Skirt                            | Slotted Bell Internal Thread    |
| Skirt Description                | 30 mm OD 19 mm Cutter Capacity  |
| Foot                             | Nylon                           |
| Solid Stop                       | Yes                             |
| Material                         | Stainless Steel                 |
| Country of Origin                | USA                             |

### **ADDITIONAL IMAGES AND DRAWINGS**




Image 1




Image 2




Image 3