



DATASHEET

PART NUMBER

WES696-10-1500-EN-TF

Wescon 696 Microstop - M10x1 - 38 mm Cutter Capacity - External Thread Skirt - Nylon Foot

LARGE CAPACITY UNITS FOR ALUMINUM & COMPOSITES

WEBSITE

 $\label{lem:https://www.wesconusa.com/products/WES696-10-1500-EN-TF} \\ \text{https://www.wesconusa.com/products/WES696-10-1500-EN-TF} \\ \text{https://www.wesconusa.com/products/WES696-EN-TF} \\ \text{https://www.wesconusa.com/products/WE$



* The image represents the general look of the series. Actual product may vary based on options selected.

SPECIFICATIONS

Measurement Type	Metric
Bearing Rating	10,000 rpm
Bearing Type	Dual Ball-Bearings
Heavy Duty Thrust Bearing	Yes
Incremental Adjustment	0.013 mm
Shaft Travel	12.70 mm
Dust Seal	Integrated Dust Seal
Cutter Thread	M10x1
Shaft	Tri-Flat
Shaft Diameter	9.525 mm
Cutter Capacity	38 mm
Skirt	External Thread
Foot	Nylon
Solid Stop	Yes
Material	Steel
Country of Origin	USA

ADDITIONAL IMAGES AND DRAWINGS




Image 1




Image 2




Image 3