



DATASHEET

PART NUMBER

WES696-875

Wescon 696 Microstop - 3/8-24 - 7/8" Cutter Capacity - Straight Skirt

LARGE CAPACITY UNITS FOR ALUMINUM & COMPOSITES

WEBSITE

https://www.wesconusa.com/products/WES696-875



* The image represents the general look of the series. Actual product may vary based on options selected.

SPECIFICATIONS

Measurement Type	Imperial
Bearing Rating	10,000 rpm
Bearing Type	Dual Ball-Bearings
Heavy Duty Thrust Bearing	Yes
Incremental Adjustment	0.0005 in
Shaft Travel	1/2 in
Dust Seal	Integrated Dust Seal
Cutter Thread	3/8-24
Shaft	Round
Shaft Diameter	3/8 in
Cutter Capacity	7/8 in
Skirt	Straight
Solid Stop	Yes
Material	Steel
Country of Origin	USA

ADDITIONAL IMAGES AND DRAWINGS




Image 1




Image 2

Foot Style For External Thread Foot Style For Internal Thread Part Number Material Part Number Material 59631-N 59620-N Nylon Nylon 59631-S Steel 59620-S Steel 59361-P 59620-P Phenolic Phenolic Foot Style For Bell External Thread Foot Style For Bell Internal Thread Part Number Material Part Number Material 59640-N Nylon 59641-N Ø 1.00" -Nylon Ø .88" Ø 1.40" 59640-S Steel Ø1.19 59641-S Steel 59640-P Phenolic 59641-P Phenolic WESCON **WES696** © 2025 Wescon Industries Inc. 601 Century Plaza Dr. Houston, TX 77073, US www.wesconusa.com Wescon 696 Microstop

Image 3

All dimensions are in Inches Information in this drawing is provided for reference only