

DATASHEET

PART NUMBER

W415006B

HSS 5/32" Countersink Cutter, 100° 1/2" Body

WEBSITE

<https://www.wesconusa.com/products/W415006B>



* The image represents the general look of the series. Actual product may vary based on options selected.

Wescon High Speed Steel Aircraft Countersink Cutter with 100 angle. Designed for precision aerospace applications, this cutter features an integrated pilot for accurate alignment, superior durability, and a clean finish on varied materials.

SPECIFICATIONS

Angle	100° Angle
Flute	3 Flutes
Material	High Speed Steel
Pilot Size	5/32" (0.1563")
Thread Size	M6x1
Body Diameter	1/2" (0.5")
Country of Origin	USA

ADDITIONAL IMAGES AND DRAWINGS



Image 1



Image 2



Image 3



Image 4





Image 5



Image 6

W415 Series Cutter



Imperial Standards		
D-Diameter	P-Pilot Size (Min - Max)	T-Thread
3/8"	# 40 - 3/16"	1/4-28
3/4"	# 10 - 1/2"	1/4-28
7/16"	# 40 - 1/4"	1/4-28
1/2"	# 40 - 1/4"	1/4-28
5/8"	# 30 - 3/8"	1/4-28
3/4"	# 10 - 1/2"	3/8-24
7/8"	# 10 - 1/2"	3/8-24
1"	# 10 - 1/2"	3/8-24
1-1/8"	# 10 - 1/2"	3/8-24
1-1/4"	# 10 - 1/2"	3/8-24
3/4"	# 10 - 1/2"	7/16-20
7/8"	# 10 - 1/2"	7/16-20
1"	# 10 - 1/2"	7/16-20
1-1/8"	# 10 - 1/2"	7/16-20
1-1/4"	# 10 - 1/2"	7/16-20
Custom diameter and pilot size available see wesconusa.com		

A-Angle
78°
82°
90°
100°
110°
120°

No. Of Flutes
2
3
4

Metric Standards		
D-Diameter	P-Pilot Size (Min - Max)	T-Thread
10 mm	2.38 mm - 4.83 mm	M6x1
14 mm	2.38 mm - 6.35 mm	M8x1
17 mm	3.96 mm - 8.00 mm	M8x1
21 mm	6.35 mm - 10.00 mm	M8x1
Custom diameter and pilot size available see wesconusa.com		

Material
HSS
Cobalt
PCD
Carbide
Carbide Tipped

Notes:

- For ordering: Specify part number (or) if unavailable, generate part number by visiting: wesconusa.com
- Information needed to generate part number: Material, Cutting Angle, Body Diameter, Pilot Diameter, and Number of Flutes

		Part Number	W415
		Countersink Cutter with integrated Pilot	
Revision 05	All dimensions are in Inches	Information in this drawing is provided for reference only	

Image 7